



International Merchant Marine Registry of Belize

Marina Towers, 204, Newtown Barracks, Belize City, Belize C.A

“IMMARBE HEAD OFFICE”

Merchant Shipping Notice MSN-0007

2000 AMENDMENTS TO SOLAS II-2/13

Emergency Escape Breathing Devices (EEBDs) in Machinery Spaces*

Notice to Recognized Organizations, Deputy Registrar, Resident Agents and those concerned

Technical Note/Circular Note superseded: N/A

ISSUE DATE: **April 18, 2002**

1. SCOPE

- 1.1. Considering SOLAS II-2/13 establishes a clear criteria for determining the minimum number of EEBDs to be allocated within accommodation spaces and
- 1.2. Noting that there is no specific minimum number prescribed for machinery spaces and that this could create uncertainties among parties,

2. ENTRY INTO FORCE


- 2.1. This Technical Note shall take effect as to the date of issue.

3. APPLICATION

- 3.1. The present Technical Note shall be implemented by all Recognized Organizations, Deputy Registrars, Resident Agents, IMMARBE (HO).

4. ACTIONS REQUESTED

- 4.1. Ships to which amendments apply shall be provided with the minimum number of EEBDs described in this Technical Note upon entry into force of the said amendments (1 July 2002).
- 4.2. The number of EEBDs to be carried within machinery spaces shall be not less than the total number of persons during watch.
- 4.3. A minimum of two devices shall be carried in the engine room of ships provided with Un-attended Machinery Spaces. (UMS)
- 4.4. Emergency Escape Breathing Devices shall be located in way of the escape routes, control spaces and/or workshops where practicable or at the foot of escape ladders other than the escape trunks.
- 4.5. In addition to any spare designated for accommodations spaces, a spare EEBD solely for the machinery space shall be carried onboard in addition to the numbers described under 4.2, 4.3
- 4.6. The number and location of these devices shall be indicated in the fire control plan.


Eng. Libardo Brú, MSc
Head of Technical Department
IMMARBE

* Refer to MSC/Circ.849; Fire Safety Systems Code